


Hermetic CAN IP67
(Surface-mounted / Ground)



Watch presentation



CAN x 2



CAN x 3



CAN x 4



TECHNICAL SPECIFICATION:

Parametr	Wartość		
Manufacturer:	LedBruk Sp. z o.o.		
Strength - static pressure:	2000 kg		
Tightness / Temp. working	IP67 / -40°C / +60°C		
Manufacturer's warranty :	4 years		
Material:	High impact polystyrene		
Dimensions of cans / Weight:	Height: 37 / width: 59 (without glands) / width: 100 (with glands) [mm] / 0.1 kg		
Certificates :	CE, ROHS		
Application :	Hermetic box is ideal for making electrical connections and proper protection against moisture and weather. Very good for low voltage connections made in the garden (in the ground) for connecting glowing cobblestones, garden lamps or other connections or branches of wires in installations in damp rooms (kitchens, bathrooms)		
Suggested wires:	Cable cross-section with outer jacket: min 4 - max 9 mm		
Connection method:	<p>Cans have IP67 sealing class (Certificate of Zetom Katowice Testing and Attestation), they allow the introduction of wires with the outer diameter of insulation from 4 to 9mm. Cans come in three variants:</p> <ul style="list-style-type: none"> - with two glands, - with three glands. - with four glands. <p>Thanks to their compact size, they do not take up much space. Different types of cable connectors can be used in the cans: WAGO, Scotchlok or other connectors. Cans provide durable protection against moisture, by using high quality materials and are very easy to assemble.</p>		
Product code:	<ul style="list-style-type: none"> • Can with two glands / MUFA-2 • Can with three glands / MUFA-3 • Can with four glands / MUFA-4 		
Additional Products:	connector WAGO 221-413	connector Scotchlock UY2	Fitting screwed connector

